
PERMISSABLE MEDICATION LEVELS

In accordance with TXRC Rule Section 319.3(b)-(d), the following substances are permissible if found at or below the following specified concentration levels in post-race samples taken from a horse:

Phenylbutazone	2 mcg/ml in plasma or serum OR .5 mcg/ml in plasma or serum if flunixin present over 3 ng/ml
Furosemide	100 ng/ml in plasma or serum and urine specific gravity <1.010
16B-hydroxystanozolol	ZERO TOLERANCE
Boldenone	In Male horses other than geldings – 25 pg/ml in plasma or serum No boldenone shall be permitted in geldings or female horses
Nandrolone	In geldings – 25 pg/ml in plasma or serum In fillies and mares – 25 pg/ml in plasma or serum
Testosterone	In geldings – 20 ng/ml in urine In fillies and mares – 55 ng/ml in urine
Acepromazine	HEPS 10 ng/ml in urine
Albuterol	1 ng/ml in urine
Betamethasone/Betasone	10 pg/ml in plasma or serum
Butorphanol	300 ng/ml of total butorphanol in urine 2 ng/ml of free butorphanol in plasma or serum
Clenbuterol/Ventipulmin	140 pg/ml in urine
Dantrolene	100 pg/ml in plasma or serum
Detomidine	1 ng/mL in plasma or serum, 2 ng/ml of carboxydetomidine in urine
Dexamethasone	5 pg/ml in plasma or serum
Diclofenac	5 ng/ml in plasma or serum
DMSO	10 mg/ml in plasma or serum
Firoxib	20 ng/ml in plasma or serum
Flunixin	20 ng/ml in plasma or serum
Glycopyrrolate	3 pg/ml in plasma or serum
Isoflupredone	100 pg/ml in plasma or serum
Ketoprofen	2 ng/ml in plasma or serum
Lidocaine	20 pg/ml of total 3-OH-lidocaine in plasma or serum
Mepivacaine	3-OH-mepivacaine–10 ng/ml in urine or mepivacaine at limit detection in plasma or serum
Methocarbamol	1 ng/ml in plasma or serum
Methylprednisolone	100 pg/ml in plasma or serum
Omeprazole	omeprazole sulfide- 10 ng/mL in serum/plasma
Prednisolone	1 ng/ml in plasma or serum
Procaine penicillin*	25 ng/ml in plasma or serum (*Requires notice at time of entry & extra surveillance)
Triamcinolone acetonide	100 pg/ml in plasma or serum
Xylazine	200 pg/ml of plasma or serum